

Amendments to the Claims

This listing of claims will replace all prior version, and listings, of claims in the application:

Listing of Claims:

1. (Previously presented) A covering product comprising:
a membrane comprising a thermoplastic; a fabric layer attached to a lower side of said membrane, said fabric layer being comprised of a fabric material; and
an adhesive covering at least a portion of a lower side of said fabric layer for allowing said covering product to be adhered to a building structure, wherein said adhesive is pre-applied to said fabric layer prior to adhering said covering product on the building structure.
2. (Originally filed) The product of claim 1, wherein said building structure is a roof deck.
3. (Originally filed) The product of claim 1, wherein said lower side of said membrane includes an exposed section that is not covered by said fabric layer.
4. (Originally filed) The product of claim 1, wherein said adhesive comprises a styrene-ethylene-butylene styrene adhesive.
5. (Previously presented) The product of claim 1, further comprising a release liner covering said lower side of said fabric layer at least in the region where said adhesive is present.
6. (Originally filed) The product of claim 5, wherein said release liner covers substantially all of a lower side of said product.
7. (Originally filed) The product of claim 1, wherein said thermoplastic comprises polyvinyl chloride.

8. (Originally filed) The product of claim 1, wherein said fabric material comprises a non-woven material.

9. (Originally filed) The product of claim 1, wherein said membrane includes a UV absorber and/or a UV screener.

10. (Originally filed) The product of claim 1, wherein said membrane includes a fire retardant.

11. (Previously presented) A method for mounting at least one membrane on a building structure comprising the following steps:

- (a) providing a building structure; and
- (b) adhering a first membrane on the building structure, said first membrane being adhered to the building structure by a first adhesive coated on a lower side of a first fabric layer bonded to the first membrane and said first fabric layer being comprised of a first fabric material, wherein said first membrane is comprised of a thermoplastic and wherein said first adhesive is pre-applied to said first fabric layer prior to adhering said first membrane on the building structure.

12. (Currently amended) The method of claim 11, further comprising the following steps:

- (c) adhering a second membrane on the building structure, said ~~first~~second membrane being adhered to the building structure by a second adhesive coated on a lower side of a second fabric layer bonded to the second membrane and said second fabric layer being comprised of a second fabric material; and
- (d) overlapping an exposed section of said second membrane over an overlapped section of an upper side of said first membrane, said exposed section being uncovered by said second fabric layer; and
- (e) joining said exposed section to said overlapped section, wherein said second membrane is comprised of thermoplastic and wherein said second adhesive is pre-applied to said second fabric layer prior to adhering said second membrane on the building structure.

13. (Originally filed) The method of claim 12, wherein step (e) comprises hot air welding said exposed section to said overlapped section.

14. (Originally filed) The method of claim 11, wherein said building structure is a roof deck.

15. (Originally filed) The method of claim 11, wherein said first adhesive comprises a styrene-ethylene-butylene styrene adhesive.

16. (Originally filed) The method of claim 11, wherein said method comprises removing a release liner covering said first adhesive from said first adhesive prior to step (b).

17. (Originally filed) The method of claim 11, wherein said thermoplastic comprises polyvinyl chloride.

18. (Originally filed) The method of claim 11, wherein said first fabric material comprises a non-woven material.

19. (Originally filed) The method of claim 11, wherein said first membrane includes a UV absorber and/or a UV screener.

20. (Originally filed) The method of claim 11, wherein said first membrane includes a fire retardant.